

Appl. No. 10/089,331  
Atty. Docket No. 8166M  
Amdt. dated January 20, 2005  
Reply to Final Office Action of October 22, 2004  
Customer No. 27752

### AMENDMENTS TO THE CLAIMS

#### Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) An applicator for distributing a substance onto a target surface, said applicator comprising:
  - (a) a first side having a first internal surface and a first external surface;
  - (b) a second side having a second internal surface and a second external surface; and
  - (c) a flexible film dosing reservoir comprising a resealable channel having a predetermined location and in fluid communication with said reservoir, said reservoir containing a product and having a predetermined weak region, said reservoir being disposed between said first internal surface of said first side and said second internal surface of said second side, said product being releasable from said reservoir through said resealable channel and through said first side to said target surface by an application of pressure to said reservoir.
2. (Previously Presented) The applicator of claim 1, wherein a first substantially fluid-impervious barrier layer is located between said reservoir and said second internal surface of said second side.
3. (Previously Presented) The applicator of Claim 1, wherein said applicator is selected from the group consisting of gloves, mitts, pads, and wipes.
4. (Original) The applicator of Claim 1, wherein said flexible film dosing reservoir is rupturable.
5. (Previously Presented) The applicator of Claim 4, wherein said flexible film dosing reservoir is rendered rupturable by a frangible seal.

Appl. No. 10/089,331  
Atty. Docket No. 8166M  
Amdt. dated January 20, 2005  
Reply to Final Office Action of October 22, 2004  
Customer No. 27752

6. (Previously Presented) The applicator of Claim 5, wherein said flexible film dosing reservoir is foldable proximate to said frangible seal.
- 7-9. (Cancelled)
10. (Previously Presented) The applicator of Claim 1, wherein said flexible film dosing reservoir further comprises a distribution head in fluid communication with said resealable channel through which said product is released from said reservoir to said first side.
11. (Previously Presented) The applicator of Claim 1, wherein said flexible film dosing reservoir further comprises a plurality of compartments, each of said compartments containing a product, said plurality of compartments being adapted to provide at least one function, wherein said function is selected from the group consisting of mixing, multiple dispensing, and sequential dispensing.
12. (Original) The applicator of Claim 5, wherein said frangible seal has at least one stress concentrator.
13. (Previously Presented) The applicator of Claim 2, further comprising a second substantially fluid-imperious barrier layer disposed between said first barrier layer and said second internal surface.
14. (Original) The applicator of Claim 13, further comprising a second flexible film dosing reservoir containing a second product.
15. (Previously Presented) The applicator of claim 1, wherein said flexible film dosing reservoir comprises a material capable of varying seal strengths.
16. (Previously Presented) The applicator of claim 1, wherein said first side is a substantially non-absorbent material.

Appl. No. 10/089,331  
Atty. Docket No. 8166M  
Amdt. dated January 20, 2005  
Reply to Final Office Action of October 22, 2004  
Customer No. 27752

17. (Original) The applicator of claim 1 wherein said second side is a substantially absorbent material.
18. (Previously Presented) The applicator of claim 1, further comprising a friction enhancing element located on at least one of said first and second sides.
19. (Previously Presented) The applicator of Claim 1, wherein said at least one of said first and second sides is textured.
20. (Original) The applicator of Claim 1, wherein said flexible film dosing reservoir is located to avoid inadvertent dispensing.
21. (Cancelled)
22. (Original) The applicator of claim 1, further comprising a temperature-changing element.
23. (Previously Presented) The applicator of claim 1, wherein at least one of said first and second sides comprises one or more removable layers.
24. (Cancelled)
25. (Previously Presented) An applicator for distributing a substance onto a target surface, said applicator comprising:
- (a) a first side having a first internal surface and a first external surface;
  - (b) a second side having a second internal surface and a second external surface;
  - (c) a rupturable laminate film reservoir comprising a resealable channel having a predetermined location and in fluid communication with said reservoir, said reservoir containing a product, said reservoir being disposed between said first

Appl. No. 10/089,331  
Atty. Docket No. 8166M  
Amdt. dated January 20, 2005  
Reply to Final Office Action of October 22, 2004  
Customer No. 27752

internal surface of said first side and said second internal surface of said second side, said product being releasable from said reservoir through said resealable channel through said first side to said target surface via an application of pressure to said reservoir; and,

(d) a flow restriction layer disposed between said reservoir and said first external surface.

26. (Previously Presented) The applicator of Claim 25, wherein said reservoir is a flexible film reservoir.

27. (Previously Presented) The applicator of Claim 25, wherein said applicator is selected from the group consisting of a glove, a mitt, a pad and a wipe.

28. (Previously Presented) The applicator of Claim 25, said applicator further comprising a substantially fluid-impervious barrier layer disposed between said rupturable reservoir and said second internal surface.

29. (Previously Presented) An applicator for distributing a substance onto a target surface, said applicator comprising:

(a) a first substrate; and,

(b) a flexible film dosing reservoir comprising at least one frangible seal and a distribution channel disposed proximate said seal, said reservoir containing a product, said reservoir being disposed adjacent to said first substrate, said product being sequentially releasable through said seal and through said distribution channel to said first substrate via multiple applications of pressure to said reservoir.

30. (Previously Presented) An applicator for distributing a substance onto a target surface, said applicator comprising:

(a) a first substrate;

Appl. No. 10/089,331  
Atty. Docket No. 8166M  
Amdt. dated January 20, 2005  
Reply to Final Office Action of October 22, 2004  
Customer No. 27752

- (b) a reservoir containing a product, said reservoir being disposed adjacent to said first substrate and having at least one weak region having a comparatively low burst force and a distribution channel at a predetermined location on said reservoir, said product being sequentially released to said first substrate through said channel via multiple applications of pressure to said reservoir; and,
- (c) a flow restriction layer disposed between said reservoir and said first substrate.